MINUTES OF THE SPECIAL MEETING OF THE RURAL MUNICIPALITY OF MEETING LAKE NO. 466, HELD IN THE MUNICIPAL OFFICE BOARDROOM ON JUNE 26, 2019 FOR THE PURPOSE OF BUDGET, MILL RATE, CULVERT QUOTE, HIGHWAY 376 UPDATE, EMPLOYEES, NEW RM SHOP AND ANY OTHER BUSINESS APPROVED BY COUNCIL AS A WHOLE

Present:

Randy Aumack	- Reeve
Richard Taylor	- Division No. 3
Jim Allchurch	- Division No. 4
Bob German	- Division No. 5
Jack Pool	- Division No. 6
Janelle Lavallee	- Administrator
Absent: Curtis Babiy	- Division No. 1

Curtis Babiy	- Division No. 1
Earl Holmes	- Division No. 2

Call To Order:

A quorum being present, Reeve Aumack called the meeting to order at 8:35 am.

INTER WORK	222/19. TAYLOR: That Randy Aumack and Rick Taylor intervipool.	ew Joey CARRIED.	
APPOINT 376	223/19. ALLCHURCH: That Randy Aumack be appointed to Pr Highway 376 Advisory Committee.	rovincial CARRIED.	
TCA AMORT	224/19. GERMAN: That Council change the Tangible Capital Asset Policy: Amortization on buildings shall be set at 50 years and renovations, at the discretion of the Administrator, may be amortized the same length of time as is remaining on the original asset, and Amortization on machinery and equipment shall be set at 10 - 20 years, at the discretion of the Administrator. CARRIED.		
BUDGET APPROVE	225/19. POOL: That council approve budget for 2019, with a su \$4,394.00, and be attached hereto forming part of these minutes.	1	
MILL RATE	226/19. TAYLOR: That the mill rate be set at 8.0 for the year 20)19. CARRIED.	

Reeve Randy Aumack declared conflict of interest at 2:00 pm.

Council reviewed tenders for electrical work on new RM shop.

ELECT TENDE	227/19. ALLCHURCH: That tenders for electrical work for the be tabled until the next regular meeting.	new RM shop CARRIED.			
Reeve Randy Aumack returned to council chambers at 2:30 pm.					
CULVE QUOTE	228/19. GERMAN: That the Administrator contact ArmTec and quote on culverts eliminating the 800 mm culvert from previous quote on culverts eliminating the 800 mm culvert from previous quote on culvert from previous quote on culvert from previous quote on culverts eliminating the 800 mm culverts eliminating the 800 mm culvert from previous quote on culverts eliminating the 800 mm culverts eliminati	0			
ADJOURN	229/19. POOL: That this meeting adjourn (3:05 pm.).	CARRIED.			

Reeve

Administrator